OIPE 4055

Attorney Docket No: 21108.0040U1 Application No. 10/781,142 Page 1 of 18

RMATION DISCLOSURE STATEMENT LIST

Complete if Known		
Application Number	n Number 10/781,142	
Filing Date	February 18, 2004	
First Named Inventor	Kyrkanides	
Group Art Unit	1632	
Evaminer Name	Hama Joanne	

(Use as many sheets as necessary)		First Named Inv	entor	Kyrkanides				
		Group Art Unit		1632	_			
		Examiner Name Hama, Joanne		ne				
		, <u> </u>	U.S. PAT	ENT DOCUMENT	S			
Examiner's Initials	Cite No.	Document No.	Date	Name	Class	Subclass	Filing Date (if appropriate	
					-			
	<u> </u>	F	OREIGN P	ATENT DOCUME	NTS			
Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date	Nam		Translation	Yes/No	
	C1	WO 2003/092612	11/13/03	Kyrkanides				
	C2	WO 2004/073646	09/02/04	Kyrkanides				
-	C3	WO 2006/079068	7/27/06	Kyrkanides				
	C4	WO 2006/053343	5/18/06	Kyrkanides				
			NON-PAT	ENT DOCUMENT	S			
Examiner's Initials	Cite No.	Non-Pa	tent Citations (include Author, Title, Publisher	r, Relevant Pages, C	Date and Place of Publica	ation)	
	C5	Abbott FV, Franklin KB possible role of serotor	in. Eur J P	harmacol 126:141	-144.			
	C6	Abdallah et al. Non-viral gene transfer: applications in developmental biology and gene therapy. Biol Cell. 1995 85(1):1-7.						
C7 Agarwal S, Long P, Gassner R, Piesco NP, Buckley MJ catabolic effects of interleukin-1beta in fibrochondrocytes to Rheum 44:608-17.			ey MJ (2001 cytes from th). Cyclic tensile e temporoman	e strain suppresses idibular joint. Arthr			
	C8	Ahmadzadeh N, Shingu M, Nobunaga M (1990). The effect of recombinant tumor necrosis factoralpha on superoxide and metalloproteinase production by synovial cell and chondrocytes. Clin Exp Rheumatol 8:387-91.						
M. Emmerling, B.L. Fiebich, C.E. Finch, S. Landreth, L. Lue, R. Mrak, I.R. Mackenzie, C. Plata-Salaman, J. Rogers, R. Rydel, Y. Muiswinkel, R. Veerhuis, D. Walker, S. We		Akiyama, H., S. Barger, S. Barnum, B. Bradt, J. Bauer, G.M. Cole, N.R. Cooper, P. Eikelenboom, M. Emmerling, B.L. Fiebich, C.E. Finch, S. Frautschy, W.S. Griffin, H. Hampel, M. Hull, G. Landreth, L. Lue, R. Mrak, I.R. Mackenzie, P.L. McGeer, M.K. O'Banion, J. Pachter, G. Pasinetti, C. Plata-Salaman, J. Rogers, R. Rydel, Y. Shen, W. Streit, R. Strohmeyer, I. Tooyoma, F.L. Van Muiswinkel, R. Veerhuis, D. Walker, S. Webster, B. Wegrzyniak, G. Wenk and T. Wyss-Coray. Inflammation and Alzheimer's disease. Neurobiol Aging (2000) 21:383-421.						
		ase (COX)-2 rever	ses inflamm	nation and expr				
C11 Andreev N, Urban L, Dray A. Opioids suppress spontaneous activity of p rat paw skin induced by ultraviolet irradiation. Neuroscience. 1994 Feb;5			4 Feb;58(4):79	<u> </u>				
	C12	Arend, W.P. The balance between IL-1 and IL-1Ra in disease. Cytokine & Growth Factor Rev. (2002) 13:323-340.						
	C13	Asipu MA. et al., The specificity of the myelin basic protein gene promoter studied in transgenic mice. Biochemical & Biophysical Research Communications. 288(4):809-18, 2001						
	C14	Balkhi KM, Tallents RH, Katzberg RW, Murphy W, Proskin H. Activity of anterior temporalis and masseter muscles during deliberate unilateral mastication. J Orofac Pain. 1993 Winter;7(1):89-97.						
	C15	Barber A, Gottschlich F in inflammation. Med R	R. Opioid ag	onists and antago	nists:an eva	luation of their	peripheral actions	

Examiner Signature: Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Complete if Known Application Number 10/781,142 INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST **Kyrkanides** First Named Inventor (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Bartho L, Stein C, Herz A. Involvement of capsaicin-sensitive neurones in hyperalgesia and C16 enhanced opioid antinociception in inflammation. Naunyn Schmiedebergs Arch Pharmacol. 1990 Dec:342(6):666-70. Basu, A., J.K. Krady, M. O'Malley, S.D. Styren, S.T. DeKosky and S.W. Levinson. The type 1 C17 interleukin-1 receptor is essential for the efficient activation of microglia and the induction of multiple proinflammatory mediators in response to brain injury. J. Neurosci. (2002) 22:6071-6082. Baum BJ, Kok M, Tran SD, Yamano S. The impact of gene therapy on dentistry: a revisiting after C18 six years. J Am Dent Assoc. 2002 Jan;133(1):35-44. Beccari et al. (1992) Cloning and sequence analysis of a cDNA encoding the alpha-subunit of C19 mouse beta-N-acetylhexosaminidase and comparison with the human enzyme. Biochem J 285(Pt 2):593-596. Belsham GJ, Sonenberg N. RNA-Protein Interactions in Regulation of Picornavirus RNA C20 Translation. 1996. Microbiological Reviews. 60:499-511 Bernick S The vascular and nerve supply to the temporomandibular joint of the rat. Oral Surg Oral C21 Med Oral Pathol. 1962 Apr;15:488-98. C22 Beutler E. Subunit Structure of Hexaminidase Isoenzymes. Advances in Genetics, Chp 9. 2001 44:93-100 Biddulph et al. Inhibition of chondrogenesis by retinoic acid in limb mesenchymal cells in vitro: C23 effects on PGE2 and cyclic AMP concentrations. Cell Differ Dev. 1988 Sep 25(1):65-75. Biddulph et al. Inhibition of prostaglandin synthesis reduces cyclic AMP levels and inhibits C24 chondrogenesis in cultured chick limb mesenchyme. Methods Cell Sci. 2000 Mar 22(1):9-16. Björkdahl, O., P. Åkerblad, A. Gjörloff-Wingren, T. Leanderson and M. Dohlsten. Lymphoid C25 hyperplasia in transgenic mice over-expressing a secreted form of the human interleukin-1ß gene product. Immunology (1999) 96:128-137. Brenner, M., W.C. Kisseberth, Y. Su, F. Besnard and A. Messing. GFAP promoter directs C26 astrocyte-specific expresion in transgenic mice. J. Neurosci. (1994) 14:1030-1037. Brever RM, Bagdassarian CK, Myers SA and Brever MD (2001), Prostanoid receptors: subtypes C27 and signaling. Ann Rev Pharmacol Toxicol 41:661-90. Brooks Al, Halterman MW, Federoff HJ (1999). Focal hippocampal gain of NGF function elicits C28 specific septal cholinergic reorganization. Neuroreport. 10:337-44. Brooks, A.I., D.A. Cory-Slechta and H.J. Federoff. Gene-experience interaction alters the C29 cholinergic septohippocampal pathway of mice. Proc. Natl. Acad. Sci. USA (2000) 97:13378-13383. Brooks, A.I., M.W. Halterman, C.A. Chadwick, B.L. Davidson, M. Haak-Frendscho, C. Radel, C. C30 Porter and H.J. Federoff. Reproducible and efficient murine CNS gene delivery using a microprocessor-controlled injector. J. Neurosci. Meth. (1998) 80:137-147. Broton JG. Sessle BJ. Reflex excitation of masticatory muscles induced by algesic chemicals C31 applied to the temporomandibular joint of the cat. Arch Oral Biol. 1988;33(10):741-7. Brugg, B., Y.L. Dubreuil, G. Huber, E.E. Wollman, N. Delhaye-Bouchard and J. Mariana. C32 Inflammatory processes induce ß-amyloid precursor protein changes in mouse brain. Proc. Natl. Acad. Sci. USA (1995) 92:3032-3035. Bullough et al. Subchondral avascular necrosis: a common cause of arthritis. 1990 Jun C33 49(6):412-420. Burcin, et al., A Regulatory System for Target Gene Expression. Frontiers in Bioscience. 3: p. 1 -C34 7, 1998

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in		
conformance and not considered. Include copy of this form with next communication to applicant.		

Complete if Known **Application Number** 10/781,142 INFORMATION DISCLOSURE Filing Date February 18, 2004 STATEMENT LIST First Named Inventor **Kyrkanides** (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Cairns BE, Hu JW, Arendt-Nielsen L, Sessle BJ, Svensson P. Sex-related differences in human C35 pain and rat afferent discharge evoked by injection of glutamate into the masseter muscle. J Neurophysiol. 2001 Aug;86(2):782-91. Cairns BE, Sessle BJ, Hu JW. Activation of peripheral GABA receptors inhibits C36 temporomandibular joint-evoked jaw muscle activity. J Neurophysiol. 1999 Apr;81(4):1966-9. Cairns BE, Sessle BJ, Hu JW. Characteristics of glutamate-evoked temporomandibular joint C37 afferent activity in the rat. J Neurophysiol. 2001 Jun;85(6):2446-54. Cairns BE, Sessle BJ, Hu JW. Evidence that excitatory amino acid receptors within the C38 temporomandibular joint region are involved in the reflex activation of the jaw muscles. J Neurosci. 1998 Oct 1;18(19):8056-64. Campbell, I.L., C.R. Abraham, E. Masliah, P. Kemper, J.D. Inglis, M.B.A. Oldstone and L. Mucke. C39 Neurologic disease induced in transgenic mice by cerebral overexpression of interleukin 6. Proc. Natl. Acad. Sci. USA (1993) 90:10061-10065 Capecchi et al. (1994) Targeted Gene Replacement. Scientific American. 270(3):34-41 C40 (especially p. 38) Capra NF. Localization and central projections of primary afferent neurons that innervate the C41 temporomandibular joint in cats. Somatosens Res. 1987;4(3):201-13. Carleson J, Alstergren P, Appelgren A, Appelgren B, Kopp S, Theodorsson E, et al. (1996). A C42 model for the study of experimentally induced temporomandibular arthritis in rats: the effect of human recombinant interleukin-I alpha on neuropeptide like immunoreactivity. J Orofac Pain10:9-Chandrasekharan et al. COX-3, a cyclooxygenase-1 variant inhibited by acetaminophen and other C43 analgesic/antipyretic drugs: cloning, structure, and expression. Proc Natl Acad Sci USA 2002 Oct 15 99(21):13926-13931. Epub 2002 Sep 19. Chang JS, Gillman SC, Lewis AJ (1986). Interleukin 1 activates phospholipase A2 in rabbit C44 chondrocytes: a possible signal for IL-1 action. J Immunol 136:1283-87. Chang, J.W., P.D. Coleman and M.K. O'Banion. Prostaglandin G/H synthase-2 (cyclooxygenase-C45 2) mRNA expression is decreased in Alzheimer's disease. Neurobiol. Aging (1996) 17:801-808. Chen Y, Mestek A, Liu J, Hurley JA, Yu L. Molecular cloning and functional expression of a mu-C46 opioid receptor from rat brain. Mol Pharmacol. 1993 Jul;44(1):8-12. Chepenik et al. Arachidonate metabolism during chondrogenesis in vitro. Calcif Tissue Int. 1984 C47 Mar 36(2):175-181. Choi HS, Lee HJ, Juan CY, Ju JS, Park JS, Ahn DK (2003). Central cyclooxygenase-2 participates C48 in interleukin-β-induced hyperalgesia in the orofacial formalin test of freely moving rats. Neurosci Letters 352:187-90. Clavelou P, Dallel R, Orliaquet T, Woda A. (1995). The orofacial formalin test in rats: effects of C49 different formalin concentrations. Pain 62:295-301. Cotman, C.W., A.J. Tenner and B.J. Cummings. ß-amyloid converts an acute phase injury C50 response to chronic injury responses. Neurobiol. Aging (1996) 17:723-731. de Bont LG, Boering G, Liem RS, Eulderink F, Westesson PL (1986). Osteoarthritis and internal C51 derangement of the temporomandibular joint: a light microscopic study. J Oral & Maxillofac Surg 44:634-43. de Crombrugghe et al. (2000) Transcriptional mechanisms of chondrocyte differentiation. Matrix C52 Biol. 19:389-394. Dijkgraaf LC, de Bont LG, Boering G, Liem RS (1995). The structure, biochemistry, and C53

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in		
conformance and not considered. Include conv. of this form	m with next communication to applicant	

metabolism of osteoarthritic cartilage: a review of the literature. J Oral Maxillofac Surg 53:1182-92.

		Compl	ete if Known
INFORM	ATION DISCLOSURE	Application Number	10/781,142
	ATEMENT LIST	Filing Date	February 18, 2004
		First Named Inventor	Kyrkanides
(Use a	s many sheets as necessary)	Group Art Unit	1632
		Examiner Name	Hama, Joanne
C54	Dijkgraaf LC. Liem RS. de Bont LC temporomandibular joints: a light m Endodont 83:373-86.	icroscopic study. Oral Surg O	ral Med Oral Pathol Oral Radiol &
C55	Dijkgraaf LC. Spijkervet FK. de Bo temporomandibular joints. J Oral &		dings in osteoarthritic
C56	Dinchuk et al. COX-3: in the wrong		
C57	Dreessen D, Halata Z, Strasmann T mouse. Acta Anat (Basel). 1990;13	9(2):154-60.	
C58	Du, Y., R.C. Dodel, B.J. Eastwood, Zimmer, R.M. Evans, A. Hake, T. G Association of an interleukin 1 alpha Neurology (2000) 55:480-483.	lasser, W.H. Oertel, W.S. Griff a polymorphism with Alzheime	in, S.M. Paul and M.R. Farlow. r's disease. [see comments].
C59	Dubuisson D, Dennis S. The formal morphine, meperidine, and brainste	em stimulation in rats and cats.	Pain 1977; 4:161-74.
C60	Evans CJ, Keith DE Jr, Morrison H, by functional expression. Science.	1992 Dec 18;258(5090):1952-	5
C61	Fernandes JC, Caron JP, Martel-Pelletier J, Javanovic D, Mineau F, Tardif G, Otterness IG, Pelletier JP (1997). Effects of tenidap on the progression of osteoarthritic lesions in a canine experimental model. Suppression of metalloprotease and interleukin-1 activity. Arthritis & Rhe 40:284-94.		
C62	Fields HL, Emson PC, Leigh BK, G afferent fibres. Nature. 1980 Mar 27	7;284(5754):351-3.	
C63	Fink et al. Cell and gene therapy in 2003. 55(8):1055-1064		
C64	A new avenue in anti-inflammatory	G (2001) Dual inhibitors of cycloxygenase and 5-lipoxygenase. y therapy? Biochem Pharmacol 62:1433-8.	
C65	Fitzgerald GA and Patrono C (2001 J Med 345:433-42.). The coxibs, selective inhibite	ors of cyclooxygenase-2. N Engl
C66	Frautschy, S.A., F. Yang, M. Irrizari response to amyloid plaques in API	Psw transgenic mice. Am. J. P	athol. (1998) 152:307-317.
C67 Friedlander, R.M., V. Gagliardini, N. Hara, K.B. Fink Greenberg, M.A. Moskowitz and J. Yuan. Expressio 1ß converting enzyme in transgenic mice prevents r withdrawal and ischemic brain injury. J. Exp. Med. (1)		Yuan. Expression of a domina c mice prevents neuronal cell o y. J. Exp. Med. (1997) 185:933	nt negative mutant o interleukin- leath induced by trophic factor 3-940.
C68	Frommer J, Monroe CW. The morp with the mandibular joint of the mou	ise. J Dent Res. 1966 Nov-De	c;45(6):1762-6.
C69	Furuta et al. Effect of 16,16-dimeth and systemic administration. Anat	Rec. 1986 Jul 215(3):305-310	6
C70	Futaki N, Arai I, Hamasaka Y, Taka NS-398 on prostanoid production in Pharmacol 45:753-55.	n inflamed tissue in rat carrage	enan-air-pouch inflammation. J
C71	Gillman SC, Chang J, Zeigler PR, L A2 in human synovial cells. Arthritis	Rheum 31:126-30.	
C72	Gilroy DW, Colville-Nash PR, McMa Inducible cyclooxygenase-derived resolution in rat pleurisy by inducing	15-deoxy(Delta)12-14PGJ2 bri	ngs about acute inflammatory

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if no	
conformance and not considered. Include copy of this form with next communication to applicant.	

		Compl	ete if Known
INFORM	ATION DISCLOSURE	Application Number	10/781,142
	ATEMENT LIST	Filing Date	February 18, 2004
517	TEMENT EIST	First Named Inventor	Kyrkanides
(Use a	s many sheets as necessary)	Group Art Unit	1632
		Examiner Name	Hama, Joanne
1 070	Gilroy DW, Colville-Nash PR, Willis		
C73	cyclooxygenase may have anti-infla		
C74	Gjörloff-Wingren, A., O. Björkdahl, O. Sjögren, T. Kalland, B. Widegrei interleukin-1ß gene directs the prot Immunol. (1996) 169:226-237.	T. Labuda, L. Björk, U. Anders n and M. Dohlsten. Fusion of a ein from cytoplasmic accumula	son, U. Gullberg, G. Hedlund, H signal sequence to the ation to extracellular release. Cell.
C75	Goldgaber, D., H.H. Harris, T. Hla, Gajdusek. Interleukin 1 regulates s endothelial cells. Proc. Natl. Acad.	ynthesis of amyloid ß-protein p Sci. USA (1989) 86:7606-7610	recursor mRNA in human).
C76	Gray, C.W. and A.J. Patel. Regulat transforming growth factor-ß1 and	nterleukin-1ß in astroctyes. Mo	ol. Brain Res. (1993) 19:251-256.
C77	Greenwald RA, Moy WW (1997). In Arthritis Rheum 22:251-59.		
C78	Griffin, W.S., J.A. Nicoll, L.M. Grima interleukin-1 in alzheimer pathogen Gerontol (2000) 35:481-487.	esis: a role for specific polymo	rphisms in disease risk. Exp
C79	Griffin, W.S., J.G. Sheng, M.C. Roy Roberts and R.E. Mrak. Glial-neuro 'cytokine cycle' in disease progress	onal interactions in Alzheimer's ion. Brain Pathol. (1998) 8:65-	disease: the potential role of a 72.
C80	Griffin, W.S.T., J.G. Sheng, G.W. F plaque types in Alzheimer's disease (1995) 54:276-281.	Roberts and R.E. Mrak. Interleu e: significance in plaque evolut	kin-1 expression in different ion. J. Neuropath. Exp. Neurol.
C81	Griffin, W.S.T., L.C. Stanley, C. Lin Araoz. Brain interleukin 1 and S-10 Alzheimer disease. Proc. Natl. Aca	0 immunoreactivity are elevated. Sci. USA (1989) 86:7611-76	ed in Down syndrome and 115.
C82	Grilli, M., F. Goffi, M. Memo and P. kappaB/Rel binding site form the reprimary neuronal cultures. J. Biol. C	Spano. Interleukin-1ß and glub gulatory region of the amyloid	tamate activate the NF- precursor protein gene in
C83	Grimaldi, L., V. Casadei, C. Ferri, F Sorbi, C. Mariani, N. Canal, W. Grit disease with an interleukin-1 alpha	. Veglia, F. Licastro, G. Annon ffin and M. Franceschi. Associa gene polymorphism. Ann. Neu	ii, I. Biunno, G. De Bellis, S. ation of early-onset Alzheimer's urol. (2000) 47:361-365.
C84	Gu et al. Upregulation of opiod-reconsciety for Neuroscience Abstracts	2001, 27(2):1607	
C85	Han R, Tsui S and Smith TJ (2002) in human orbital fibroblasts involve glutathione-dependent prostagland	s coordinate induction of prosta in E2 synthase expression. J E	aglandin H synthase-2 and Biol Chem 277:163555-64.
C86	Hart RP, Shadiack AM, Jonakait G interleukin-1 in cultured sympatheti	c ganglia. J Neurosci Res 29:2	282-291.
C87	Hassan AH, Ableitner A, Stein C, F of opioid receptors in the sciatic ne Neuroscience. 1993 Jul;55(1):185-	rve and increases their density 95.	in the inflamed tissue.
C88	Hay et al. (2000) N- and E-cadher promoted by bone morphogenetic	rin mediate early human calvar protein-2. J Cell Physiol 183:1	l 17-128.
C89	Helkimo E, Carlsson GE, Yehuda C the masticatory system. J Oral Reh	(1975). Bite force in patients	with functional disturbances of

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this form	m with next communication to applicant.

Complete if Known 10/781,142 Application Number INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST **Kvrkanides** First Named Inventor (Use as many sheets as necessary) 1632 Group Art Unit Hama, Joanne **Examiner Name** Helminen HJ, Kiraly K, Pelttari A, Tammi M, Vandenberg P, Pereira R, et al. (1993). An inbred line C90 of transgenic mice expressing an internally deleted gene for type II procollagen (COL2A1). J Clin Invest 92:582-95. Hsiao, K., P. Chapman, S. Nilsen, C. Eckman, Y. Harigaya, S. Younkin, F. Yang and G. Cole. C91 Correlative memory deficits, Aß elevation and amyloid plaques in transgenic mice. Science (1996) Huang, D., R. Pirskanen, P. Hjelmstrom and A.K. Lefvert. Polymorphisms in IL-1beta and IL-1 C92 receptor antagonist genes are associated with myasthenia gravis. J. Neuroimmunol. (1998) 81:76-81. Hutchins B. Patel H. Spears R (2002). Attenuation of pro-inflammatory neuropeptide levels C93 produced by a cyclooxygenase-2 inhibitor in an animal model of chronic temporomandibular joint inflammation. J Orofac Pain 16:312-6. Ichikawa H, Wakisaka S, Matsuo S, et al. (1989). Peptidergic innervation of the C94 temporomandibular disk in the rat. Experientia 45:303-304. lonescu et al. (2001) PTHrP modulates chondrocyte differentiation through AP-1 and CREB C95 signaling. J Biol Chem 276:11639-11647. Israel HA, Diamond BE, Saed-Nejad F, Ratcliffe A (1997). Correlation between arthroscopic C96 diagnosis of osteoarthritis and synovitis of the human temporomandibular joint and keratan sulfate levels in the synovial fluid. J Oral Maxillofacial Surg 55:210-7. Israel HA, Saed-Nejad F, Ratcliffe A (1991). Early diagnosis of osteoarthrosis of the C97 temporomandibular joint: correlation between arthroscopic diagnosis and keratan sulfate levels in the synovial fluid. J Oral Maxillofacial Surg 49:708-11. Jakobsson PJ, Thorén S, Morgenstern R, Samuelsson B (1999). Identification of human C98 prostaglandin E synthase: a microsomal, glutathione-dependent, inducible enzyme, constituting a potential novel drug target. Proc Natl Acad Sci USA 96:7220-25. Jang et al. 1989. Initiation of protein synthesis by internal entry of ribosomes into the 5' C99 nontranslated region of encephalomyocarditis virus RNA in vivo. J. of Virology, 63:1651-1660 Jantzen PT, Connor KE, DiCarlo G, Wenk GL, Wallace JL, Rojiani AM, Coppola D, Morgan D, C100 Gordon MN (2002). Microglial Activation and Beta-Amyloid Deposit Reduction Caused by a Nitric Oxide-Releasing Nonsteroidal Anti-Inflammatory Drug in Amyloid Precursor Protein Plus Presenilin-1 Transgenic Mice. J Neurosci 22:2246-54. Jiao Y, Ma X, Zhang Z (2001). Interleukin-1 increase nitric oxide synthesis through up-regulation of C101 inducible nitric-oxide synthase by rabbit mandibular condylar cartilage cells in vitro. Chin J Stomatol 36:345-347. Johansson A-S, Isacson G, Isberg A, et al. (1986) Distribution of substance P-like immunoreactive C102 nerve fibers in temporomandibular joint soft tissues of monkey. Scand J Dent Res 94:225-232. Jonakait GM, Schotland S (1990). Conditioned medium from activated splenocytes increases C103 substance P in sympathetic ganglia. J Neurosci Res 26:24-30. Jonakait GM, Schotland S, Hart RP (1991). Effects of lymphokines on substance P in injured C104 ganglia of the peripheral nervous system. Ann NY Acad Sci 632:19-30. Jonakait GM, Schotland S, Hart RP (1991). Interleukin-1 specifically increases substance P in C105 injured sympathetic ganglia. Ann NY Acad Sci 594:222-30. Joosten LA, Helsen MM, Saxne T, van De Loo FA, Heinegard D, van Den Berg WB (1999). IL-1 C106 alpha beta blockade prevents cartilage and bone destruction in murine type II collagen-induced arthritis, whereas TNF-alpha blockade only ameliorates joint inflammation. J Immunol; 163:5049-55.

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this form with next communication to applicant.	

Complete if Known Application Number 10/781,142 INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST First Named Inventor **Kvrkanides** (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Jovanovic DV, Fernandes JC, Martel-Pelletier J, Jolicoeur FC, Reboul P, Laufer S, Tries S, C107 Pelletier JP (2001). In vivo dual inhibition of cyclooxygenase and lipoxygenase by ML-3000 reduces the progression of experimental osteoarthritis: suppression of collagenase 1 and interleukin-1beta synthesis. Arthr Rheumaton 44:2320-30. Jow RW, Clark GT. Endurance and recovery from a sustained isometric contraction in human jaw-C108 elevating muscles. Arch Oral Biol. 1989;34(11):857-62. C109 Kanaji et al. (2003) Improvement of skeletal lesions in mice with mucopolysaccharidosis type VII by neonatal adenoviral gene transfer. Mol Ther 8:718-725. Kawai Y, Kubota, Okabe E (2000), Reactive oxygen species participation in experimentally C110 induced arthritis of the temporomandibular joint in rats. J Dent Res 79:1489-95. Kawakami M, Okabe E (1998). Superoxide anion radical-triggered Ca+2 release from cardiac C111 sarcoplasmic reticulum through ryanodine receptor Ca⁺² channel. Mol Pharmacol 53:497-503. Kehl LJ. Trempe TM, Hargreaves KM. A new animal model for assessing mechanisms and C112 management of muscle hyperalgesia. Pain. 2000 Apr;85(3):333-43. Kellendonk, C. et al., Requalation of Cre recombinase activity by the synthetic steroid RU 486. C113 Nucleic Acids Research Vol. 24: p. 1404 - 1411, 1996. Kido MA, Kiyoshima T, Kondo T, Ayasaka N, Moroi R, Terada Y, Tanaka T. Distribution of C114 substance P and calcitonin gene-related peptide-like immunoreactive nerve fibers in the rat temporomandibular joint. J Dent Res. 1993 Mar;72(3):592-8. Kido MA, Kondo T, Ayasaka N, Terada Y, Tanaka T. The peripheral distribution of trigeminal nerve C115 fibres in the rat temporomandibular joint studied by an anterograde axonal transport method with wheat germ agglutinin-horseradish peroxidase. Arch Oral Biol. 1991;36(5):397-400. Kieffer BL, Befort K, Gaveriaux-Ruff C, Hirth CG. The delta-opioid receptor: isolation of a cDNA by C116 expression cloning and pharmacological characterization. Proc Natl Acad Sci U S A. 1992 Dec 15;89(24):12048-52. Kimmich, G.A., J. Roussie, M. Manglapus and J. Randles. Characterization of Na+-coupled C117 glutamate/aspartate transport by a rat brain astrocyte line expressing GLAST and EAAC1. J. Membr. Biol. (2001) 182:17-30. Kirtikara K, SG Morham, R Raghow, SJ Laulederkind, T Kanekura, S Goorhaand, LR Ballou C118 (1998), Compensatory prostaglandin E2 biosynthesis in cyclooxygenase 1 or 2 null cells. J Exp Med 187:517-23. Kis B, Snipes JA, Isse T, Nagy K, Busija DW. (2003) Putative cyclooxygenase-3 expression in rat C119 brain cells. J Cereb Blood Flow Metab. 23:1287-92. Kitanaka J, Hashimoto H, Gotoh M, Kondo K, Sakata K, Hirasawa Y, Sawada M, Suzumura A, C120 Marunouchi T, Matsuda T and Baba A. (1996) Expression pattern of messenger RNAs for prostanoid receptors in glial cell cultures. Brain Res 707:282-87. Klineberg I. Structure and function of temporomandibular joint innervation. Ann R Coll Surg Engl. C121 1971 Oct;49(4):268-88. Kolodny. Molecular Genetics of the Beta-Hexaminidase Isoenzymes: An Introduction. Advances C122 in Genetics, Chp 10. 2001. 44:101-126 Korneluk et al. Isolation of cDNA clones coding for the alpha-subunit of human beta-C123 hexosaminidase. Extensive homology between the alpha- and beta-subunits and studies on Tay-Sachs disease. J Biol Chem. 1986 Jun 25;261(18):8407-8413 Kornman, K.S., A. Crane, H.Y. Wang, F.S. di Giovine, M.G. Newman, F.W. Pirk, T.G. Wilson, Jr., C124 F.L. Higginbottom and G.W. Duff. The interleukin-1 genotype as a severity factor in adult periodontal disease. J. Clin. Periodontol. (1997) 24:72-77.

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include copy of this for	m with next communication to applicant.

Complete if Known Application Number 10/781.142 INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST First Named Inventor **Kyrkanides** (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Kosher et al. (1983) The effect of prostaglandins on in vitro limb cartilage differentiation. Exp Cell C125 Res 145:145-153. Kuboki T, Nakanishi T, Kanyama M, Sonoyama W, Fujisawa T, Kobayashi K, Ikeda T, Kubo T, C126 Yamashita A, Takigawa M. Direct adenovirus-mediated gene delivery to the temporomandibular joint in guinea-pigs. Arch Oral Biol. 1999 Sep;44(9):701-9. Kubota E, Kubota T, Matsumoto J, Shibata T, Murakami KI (1998). Synovial fluid cytokines and C127 proteinases as markers of temporomandibular joint disease. J Oral Maxillofac Surg 56:192-98. Kyrkanides S, Kambylafkas P, Miller JH, Tallents RH (2004). Non-primate lentiviral vector C128 administration in the TMJ. J Dental Res 83:65-70. Kyrkanides S, O'Banion MK, Subtelny JD (2000). Non-steroidal anti-inflammatory drugs in C129 orthodontic tooth movement: Metalloproteinase activity and collagen synthesis by endothelial cells. Am J Orthod Dentofac Orthop 118:203-09. Lamotte C, Pert CB, Snyder SH. Opiate receptor binding in primate spinal cord: distribution and C130 changes after dorsal root section. Brain Res. 1976 Aug 13;112(2):407-12. Lane NE (1997). Pain management in osteoarthritis: the role of COX-2 inhibitors. J Rheumatol 24 C131 Suppl. 49:20-24. Langenbach R, Morham SG, Tiano HF, Loftin CD, Ghanayem BI, Chulada PC, Mahler JF, Lee CA, C132 Goulding EH, Kluckman KD, Kim HS, Smithies O (1995). Prostaglandin Synthase 1 Gene Disruption in Mice Reduces Arachidonic Acid-Induced Inflammation and Indomethacin-Induced Gastric Ulceration. Cell 83:483-92. Lavigne P, Shi Q, Jolicoeur FC, Pelletier, Martel-Pelletier J, Fernandes JC (2002). Modulation of C133 IL-1beta, IL-6, TNF-alpha and PGE(2) by pharmacological agents in explants of membranes from failed total hip replacement. Osteoarthritis & Cartilage 10:898-904. Law PY, McGinn TM, Wick MJ, Erikson LJ, Evans C, Loh HH. Analysis of delta-opioid receptor C134 activities stably expressed in CHO cell lines: function of receptor density? J Pharmacol Exp Ther. 1994 Dec;271(3):1686-94. Lee YC, Lai HL, Sun CN, Chien CL, Chern Y. Identification of nuclear factor 1 (NF1) as a C135 transcriptional modulator of rat A(2A) adenosine receptor. Brain Res Mol Brain Res. 2003 111(1-2):61-73. Lefebvre et al. (1997) SOX9 is a potent activator of the chondrocyte-specific enhancer of the pro C136 alpha1(II) collagen gene. Mol Cell Biol 17:2336-2346. Lehmann, J.M., J.M. Lenhard, B.B. Oliver, G.M. Ringold and S.A. Kleiwer (1997). Peroxisome C137 proliferator-activated receptors alpha and gamma are activated by indomethacin and other nonsteroidal anti-inflammatory drugs. J Biol Chem 272:3406-10. Levine JD, Taiwo YO, Hyperalgesic pain: a review. Anesth Prog. 1990 37 (2-3) 133-135. C138 Li JL, Ding YQ, Li YQ, Li JS, Nomura S, Kaneko T, Mizuno N. Immunocytochemical localization of C139 mu-opioid receptor in primary afferent neurons containing substance P or calcitonin gene-related peptide. A light and electron microscope study in the rat. Brain Res. 1998 Jun 1;794(2):347-52. Li K, et al. (2002) A gene fusion method to screen for regulatory effects on gene expression: C140 application to the LDL receptor. Human Molecular Genetics. 11(26):3257-3265. Li TF, et al. (2004) PGE2 inhibits chondrocyte differentiation through PKA and PKC signaling. C141 Exp Cell Res 300:159-169. Li Y., L. Liu, S.W. Barger and W.S. Griffin, Interleukin-1 mediates pathological effects of microglia C142 on tau phosphorylation and on synaptophysin synthesis in cortical neurons through a p38-MAPK pathway. J. Neurosci. (2003) 23:1605-1611.

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
conformance and not considered. Include conv. of this for	m with next communication to applicant

Complete if Known 10/781,142 Application Number INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST **Kyrkanides** First Named Inventor (Use as many sheets as necessary) 1632 Group Art Unit Hama, Joanne **Examiner Name** Ling GS, MacLeod JM, Lee S, Lockhart SH, Pasternak GW. Separation of morphine analgesia C143 from physical dependence. Science. 1984 Oct 26;226(4673):462-4. Ling GS. Spiegel K, Lockhart SH, Pasternak GW. Separation of opioid analgesia from respiratory C144 depression; evidence for different receptor mechanisms. J Pharmacol Exp Ther. 1985 Jan;232(1):149-55. Lipsky PE and Isakson PC (1997). Outcome of specific COX-2 inhibition in rheumatoid arthritis. J C145 Rheumatol 24:9-14. Lipton, JA, Ship JA, Larach-Robinson D. - Estimated prevalence and distribution of reported C146 orofacial pain the United States. Oct JADA 124 (10):115-21 Liu F. Malayal L. Aubin JE (1997). The mature osteoblast phenotype is characterized by extensive C147 plasticity. Exp Cell Res 232:97-105. Liu, C., Y. Bai, D. Ganea and R.P. Hart. Species-specific activity of rat recombinant interleukin-1 C148 beta. J. Interferon Cytokine Res. (1995) 15:985-992. Loddick, S.A. and N.J. Rothwell. Neuroprotective effects of human recombinant interleukin-1 C149 receptor antagonist in focal cerebral ischaemia in the rat. J. Cereb. Blood Flow Metab. (1996) 16:932-940. Lue, L.F., L. Brachova, W.H. Civin and J. Rogers. Inflammation, A beta deposition, and C150 neurofibrillary tangle formation as correlates of Alzheimer's disease neurodegeneration. J. Neuropathol. Exp. Neurol. (1996) 55:1083-1088. Lund JP, Donga R, Widmer CG, Stohler CS (1991). The pain adaptation model: A discussion of C151 the relationship between chronic musculoskeletal pain and motor activity. Can J Physiol Pharmcol 69:683-694. Macher DJ, Westesson PL, Brooks SL Hicks D and Tallents RH (1992). Temporomandibular joint C152 surgically created disc displacement causes arthrosis in the rabbit. Oral Surg Oral Med Oral Pathol 73:645-49. Mackenzie, I.R.A. and D.G. Munoz. Nonsteroidal anti-inflammatory drug use and Alzheimer-type C153 pathology in aging. Neurology (1998) 50:986-990. Maguire-Zeiss KA, Bowers WJ, Federoff HJ (2002). Somatic mosaic approaches and the aging C154 brain. Neurobiol Aging 23:977-84. Malmberg AB and Yaksh TL (1995). Cyclooxygenase inhibition and the spinal release of C155 prostaglandin E2 and amino acids evoked by paw formalin injection: a microdialysis study in unanesthetized rats. J Neurosci 15:2768-76. Mancini JA, Blood K, Guay J, Gordon R, Claveau D, Chan CC and Riendeau R (2001). Cloning, C156 expression, and up-regulation of inducible rat prostaglandin e synthase during lipopolysaccharideinduced pyresis and adjuvant-induced arthritis. J Biol Chem 276:4469-75. Mansour A, Fox CA, Thompson RC, Akil H, Watson SJ. mu-Opioid receptor mRNA expression in C157 the rat CNS: comparison to mu-receptor binding. Brain Res. 1994 Apr 18;643(1-2):245-65. Martel-Pelletier J, Pelletier JP, Fahmi H (2003). Cyclooxygenase-2 and prostaglandins in articular C158 tissues. Semin Arthritis Rheum 33:155-67. Martin WR. Eades CG Demonstration of tolerance and physical dependence in the dog following a C159 short-term infusion of morphine. J Pharmacol Exp Ther. 1961 Aug;133:262-70. Masaki M, Matsushita M and Wakitani K. Inhibitory effects of JTE-522, a novel prostaglandin H C160 synthase-2 inhibitor, on adjuvant-induced arthritis and bone changes in rats. Inflamm Res 47:187-Matsubara T. Ziff M (1986). Increased superoxide anion release from human endothelial cells in C161 response to cytokines. J Immunol 137:3295-98.

ı	Examiner Signature:	Date Considered:
ı	EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in
ı	conformance and not considered. Include copy of this form	m with next communication to applicant.

Complete if Known **Application Number** 10/781.142 INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST First Named Inventor **Kvrkanides** (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Matthes HW, Maldonado R, Simonin F, Valverde O, Slowe S, Kitchen I, Befort K, Dierich A, Le C162 Meur M. Dolle P. Tzavara E. Hanoune J, Roques BP, Kieffer BL. Loss of morphine-induced analgesia, reward effect and withdrawal symptoms in mice lacking the mu-opioid-receptor gene. Nature. 1996 Oct 31;383(6603):819-23. McCord JM (1974). Free radicals and inflammation: protection of synovial fluid by superoxide C163 dismutase. Science 185:529-31. McDowell, T.L., J.A. Symons, R. Ploski, O. Forre and G.W. Duff. A genetic association between C164 juvenile rheumatoid arthritis and a novel interleukin-1 alpha polymorphism. Arthritis Rheum. (1995) 38:221-228. Meng F, Taylor LP, Hoversten MT, Ueda Y, Ardati A, Reinscheid RK, Monsma FJ, Watson SJ, C165 Civelli O, Akil H. Moving from the orphanin FQ receptor to an opioid receptor using four point mutations. J Biol Chem. 1996 Dec 13;271(50):32016-20. Milam SB, Magnuson VL, Steffensen B, Chen D, Klebe RJ (1991). II-1 bata and prostaglandins C166 regulate integrin mRMA expression. J Cell Physiol 149:173-83. Milam SB, Schmitz JP (1995). Molecular biology of temporomandibular joint disorders: proposed C167 mechanisms of disease. J Oral Maxillofacial Surg 53:1448-54. Minami M, Toya T, Katao Y, Maekawa K, Nakamura S, Onogi T, Kaneko S, Satoh M. Cloning and C168 expression of a cDNA for the rat kappa-opioid receptor. FEBS Lett. 1993 Aug 30;329(3):291-5. Minami, M., K. Kuraishi, K. Yabuuchi, K. Yamazaki and M. Satoh. Induction of interleukin-1 mRNA C169 in rat brain transient forebrain ischaemia. J. Neurochem. (1992) 58:390-392. Miyamoto et al. (2003) Simultaneous stimulation of EP2 and EP4 is essential to the effect of C170 prostaglandin E2 in chondrocyte differentiation. Osteoarthritis Cartilage. 11(9):644-652 Mizukawa H, Okabe E (1997). Inhibition by singlet molecular oxygen of the vascular reactivity in C171 rabbit mesenteric artery. Br J Pharmacol 121:63-70. Molin C. Vertical isometric muscle forces of the mandible. A comparative study of subjects with C172 and without manifest mandibular pain dysfunction syndrome. Acta Odontol Scand. 1972 Oct;30(4):485-99. Moller E, Sheikholeslam A, Lous I. Response of elevator activity during mastication to treatment of C173 functional disorders. Scand J Dent Res. 1984 Feb;92(1):64-83. Mollereau C, Parmentier M, Mailleux P, Butour JL, Moisand C, Chalon P, Caput D, Vassart G, C174 Meunier JC, ORL1, a novel member of the opioid receptor family. Cloning, functional expression and localization. FEBS Lett. 1994 Mar 14;341(1):33-8. Moore AH, Olschowka JA, O'Banion MK (2004). Intraparenchymal administration of interleukin-C175 1beta induces cyclooxygenase-2-mediated expression of membrane- and cytosolic-associated prostaglandin E synthases in mouse brain. J Neuroimmunol 148:32-40. Moos V. Fickert S. Muller B. Weber U, Sieper J (1999). Immunohistological analysis of cytokine C176 expression in human osteoarthritic and healthy cartilage. J Rheumatol 26:870-9. Morham SG, Langenbach R, Loftin CD, Tiano HF, Vouloumanos N, Jennette JC, Mahler JF, C177 Kluckman KD, Ledford A, Lee CA, Smithies O (1995). Prostaglandin Synthase 2 Gene Disruption Causes Severe Renal Pathology in the Mouse. Cell 83:473-82. Mueller-Decker K, Hirschner W, Marks F, Fuerstenberger G (2002). The Effects of C178 Cyclooxygenase Isozyme Inhibition on Incisional Wound Healing in Mouse Skin. J Invest Dermatol 119:1189-95. Mullins et al. (1996) Perspectives Series: Molecular Medicine in Genetically Engineered Animals, C179 Transgenesis in the rat and larger mammals. J Clin Invest. 97(7):1557-1560.

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in		
conformance and not considered. Include copy of this form with next communication to applicant.		

Complete if Known **Application Number** 10/781.142 INFORMATION DISCLOSURE Filing Date February 18, 2004 STATEMENT LIST **Kyrkanides** First Named Inventor (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Murakami M, Naraba H, Tanioka T, Semmyo N, Nakatani Y, Kojima F, Ikeda T, Fueki M, Ueno A, C180 Oh-ishi S and Kudo I (2000). Regulation of prostaglandin E2 biosynthesis by inducible membraneassociated prostaglandin E2 synthase that acts in concert with cyclooxygenase-2. J Biol Chem 275:32783-92. Murphy, G.M., Jr., J.D. Claassen, J.J. DeVoss, N. Pascoe, J. Taylor, J.R. Tinklenberg and J.A. C181 Yesavage. Rate of cognitive decline in AD is accelerated by the interleukin-1 alpha -889 *1 allele. Neurology (2001) 56:1595-1597. Myerowitz et al. Human beta-hexosaminidase alpha chain: coding sequence and homology with C182 the beta chain. Proc Natl Acad Sci USA 1985 Dec;82(23):7830-7834 Myers SL, Flusser D, Brandt KD, Heck DA (1992). Prevalence of cartilage shards in synovium and C183 their association with synovitis in patients with early and endstage osteoarthritis. J Rheumatol 19:1247-51. Nakai et al. (1991) Assignment of beta-hexosaminidase A alpha-subunit to human chromosomal C184 region 15q23----q24. Cytogenet Cell Genet. 56(3-4):164. Narumiya A and FitzGerald GA (2001). Genetic and pharmacological analysis of prostanoid C185 receptor function. J Clin Invest 108:25-30. Narumiya S, Sugimoto Y, Ushikuni F (1999). Prostanoid receptors: structures, properties and C186 functions. Physiol. Rev. 79:1193-1226. National Institutes of Health Grant No. K08 DE00471 C187 National Institutes of Health Grant No. R03 DE13860 C188 National Institutes of Health Grant No. R21 DE14700 C189 National Institutes of Health Grant No. R21 NS048522 C190 National Institutes of Health Grant No. RO1 NS048339 C191 National Institutes of Health Grant No. RO1 NS33553 C192 Neote et al. Characterization of the Human HEXB Gene encoding lysosomal beta-C193 hexosamindase. Genomics 3. 1988. Accession No. A31250. Nicoll, J., R. Mrak, D. Graham, J. Stewart, G. Wilcock, S. MacGowan, M. Esiri, L. Murray, D. C194 Dewar, S. Love, T. Moss and W. Griffin. Association of interleukin-1 gene polymorphisms with Alzheimer's disease. Ann. Neurol. (2000) 47:365-368. Niemann H. Transgenic farm animals get off the ground. Transgenic Animals in Agriculture, C195 Conference Tahoe City, California, USA. August 24-27, 1997. Transgenic Res. 1998 Jan 7(1):73-Nordenskiold UM, Grimby G. Grip force in patients with rheumatoid arthritis and fibromyalgia and C196 in healthy subjects. A study with the Grippit instrument. Scand J Rheumatol. 1993;22(1):14-9. Norisue M, Todoki K, Okabe E (1997). Inhibition by hydroxyl radicals of calcitonin gene-related C197 peptide-mediated neurogenic vasorelaxation in isolated canine lingual artery. J Pharmacol Exp Ther 280:492-500. O'Keefe et al. (1992) Influence of prostaglandins on DNA and matrix synthesis in growth plate C198 chondrocytes. J Bone Miner Res. 7(4):397-404. O'Banion MK, Sadowski HB, Winn V, Young DA (1991). A serum- and glucocorticoid-regulated 4-C199 kilobase mRNA encodes a cyclooxygenase-related protein. J Biol Chem 266:23261-7. O'Banion MK, Winn VD, Young DA (1992). cDNA cloning and functional activity of a C200 glucocorticoid-regulated inflammatory cyclooxygenase. Proc Natl Acad Sci U.S.A. 89:4888-92.

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609. Draw line through citation if not in	
conformance and not considered. Include conv of this form with next communication to applicant.		

			rage 12 of 16
	ATION DISCUSSINE	Application Number	10/781,142
INFORMATION DISCLOSURE		Filing Date	February 18, 2004
STATEMENT LIST		First Named Inventor	Kyrkanides
(Use as many sheets as necessary)			1632
		Group Art Unit	
4 5		Examiner Name	Hama, Joanne
C201	C201 O'Banion, M.K., J.C. Dusel, J.W. Chang, M.D. Kaplan and P.D. Coleman. Interleukin-1ß ind prostaglandin G/H synthase-2 (cyclooxygenase-2) in primary murine astrocyte cultures. J. Neurochem. (1996) 66:2532-2540.		
C202	O'Byrne EM, Blancuzzi VJ, Wilson DE, et al. (1990). Increased intra-articular substance P and prostaglandin E2 following injection of interleukin-1 in rabbits. Int J Tissue React 12:11-4.		
C203	Ochi T, Ohkubo Y, Mutoh S (2003). Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice. Biochem Pharmacol 66:1055-60.		
C204	The state of the s		
C205			
C206			
C207			48.
C208	Paesani DA, Tallents RH, Murphy WC and Proskin HM (1994). Evaluation of the reproducibility of rest activity of the anterior temporal and masseter muscles in asymptomatic and symptomatic temporomandibular subjects. J Orofacial Pain 8:402-06.		
C209	Pan YX, Xu J, Wan BL, Zuckerman A, Pasternak GW. Identification and differential regional expression of KOR-3/ORL-1 gene splice variants in mouse brain. FEBS Lett. 1998 Sep 11;435(1):65-8.		
C210	Pennybacker, M., et al. Evidence for the Involvement of flu-355 in the catalytic Action of Human Beta-Hexosaminidase B*. The Journal of Biological Chemistry vol. 272, No. 12, March 1997: pg. 8002 - 8006		
C211	Pennybacker, M., et al. Identification of Domains in Human Beta-Hexosaminidase That Determine Substrate Specificity*. The Journal of Bilogical Chemistry vol 271, No. 29, July 1996: pg. 17377-17382		
C212			
C213	Pociot, F., J. Molvig, L. Wogensen, H. Worsaae and J. Nerup. A Taql polymorphism in the human interleukin-1 beta (IL-1 beta) gene correlates with IL-1 beta secretion <i>in vitro</i> . Eur. J. Clin. Invest. (1992) 22:396-402.		
C214	Pohl M, Braz J. Gene therapy of pain:emerging strategies and future directions. Eur J Pharmacol. 2001 Oct 19;429(1-3):39-48.		
C215	Portanova JP, Zhang Y, Anderson GD, Hauser SD, Masferrer JL, Seibert K, Gregory SA, Isakson PC. (1996) Selective neutralization of prostaglandin E2 blocks inflammation, hyperalgesia, and interleukin 6 production <i>in vivo</i> . J. Exp. Med 184:883-91.		
C216	Porzio et al. Mucosal delivery of ar BMC Biotechnol. 2004 Oct 30;4:27	·	
C217	Proia et al. (1988) Gene encoding the human beta-hexosamindase beta chain: extensive holomogy of intron placement in the alpha- and beta-chain genes. Proc. Natl. Acad. Sci. 85:1883-1887.		
C218	Proia RL. (2001) Cloning the beta 44:127-135.	-hexosaminidase genes. Ad	vances in Genetics, Chp 11.
	xaminer Signature: Date Considered:		
EXAMINER: Initial	if reference considered, whether or not citation	n is in conformance with MPEP 609.	Draw line through citation if not in
	oformance and not considered. Include copy of this form with next communication to applicant.		

Complete if Known **Application Number** 10/781,142 INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST First Named Inventor **Kyrkanides** (Use as many sheets as necessary) 1632 **Group Art Unit** Hama, Joanne **Examiner Name** Ratcliffe A, Billingham ME, Saed-Nejad F, Muir H, Hardingham TE (1992). Increased release of C219 matrix components from articular cartilage in experimental canine osteoarthritis. J Ortho Res 10:350-8. Ratcliffe A, Doherty M, Maini RN, Hardingham TE (1998). Increased concentrations of C220 proteoglycan components in the synovial fluids of patients with acute but not chronic joint disease. Ann Rheum Dis 47:826-32. Raynor K, Kong H, Mestek A, Bye LS, Tian M, Liu J, Yu L, Reisine T. Characterization of the C221 cloned human mu opioid receptor. J Pharmacol Exp Ther. 1995 Jan;272(1):423-8. Revell PA, Mayston V, Lalor P, Mapp P (1988). The synovial membrane in osteoarthritis: a C222 histological study including the characterisation of the cellular infiltrate present in inflammatory osteoarthritis using monoclonal antibodies. Ann Rheum Dis 47:300-7. Ricote M, Li AC, Willson TM, Kelly CJ and Glass CK (1998). The peroxisome proliferator-activated C223 receptor-gamma is a negative regulator of macrophage activation. Nature 391:79-82. Ritchlin CT, Haas-Smith SA, Li P, Hicks DG, Schwarz EM (2003). Mechanisms of TNF-alpha- and C224 RANKL-mediated osteoclastogenesis and bone resorption in psoriatic arthritis. J Clin Investig 111:821-31. Roberts CR, Roughley PJ, Mort JS (1989). Degradation of human proteoglycan aggregate induced C225 by hydrogen peroxide. Protein fragmentation, amino acid modification and hyaluronic acid cleavage. Biochem J. 259:805-11. Rogers, J., S. Webster, L.-F. Lue, L. Brachova, W.H. Civin, M. Emmerling, B. Shivers, D. Walker C226 and P. McGeer. Inflammation and Alzheimer's disease pathogenesis. Neurobiol. Aging (1996) 17:681-686. Rogers, J.T., L.M. Leiter, J. McPhee, C.M. Cahill, S. Zhan, H. Potter and L.N. Nilsson. Translation C227 of the Alzheimer amyloid precursor protein mRNA is up-regulated by interleukin-1 through 5'untranslated region sequences. J. Biol. Chem. (1999) 274:6421-6431. Romfh JH, Capra NF, Gatipon GB. Trigeminal nerve and temporomandibular joint of the cat: a C228 horseradish peroxidase study. Exp Neurol. 1979 Jul;65(1):99-106. Rossi GC, Brown GP, Leventhal L, Yang K, Pasternak GW. Novel receptor mechanisms for heroin C229 and morphine-6 beta-glucuronide analgesia. Neurosci Lett. 1996 Sep 20;216(1):1-4. Rothwell, N.J. and G.N. Luheshi. Interleukin 1 in the brain: biology, pathology and therapeutic C230 target. Trends Neurosci. (2000) 23:618-625. Rubinson, D. A., Dillon, C. P., Kwiatkowski, A. V., Sievers, C., Yang, L., Kopinja, J., Rooney, D. L., C231 Ihrig, M. M., McManus, M. T., Gertler, F. B., et al. (2003). A lentivirus-based system to functionally silence genes in primary mammalian cells, stem cells and transgenic mice by RNA interference. Nat Genet 33, 401-406. Russell NJ. Schaible HG. Schmidt RF. Opiates inhibit the discharges of fine afferent units from C232 inflamed knee joint of the cat. Neurosci Lett. 1987 Apr 23;76(1):107-12. Salvemini D, Misko TP, Masferrer JL (1993). Nitric oxide activates cycloxygenase enzymes. Proc C233 Natl Acad Sci 90:7240-44. Schafer M, Imai Y, Uhl GR, Stein C. Inflammation enhances peripheral mu-opioid receptor-C234 mediated analgesia, but not mu-opioid receptor transcription in dorsal root ganglia. Eur J Pharmacol. 1995 Jun 12;279(2-3):165-9. Schroeder JE, Fischbach PS, Zheng D, McCleskey EW. Activation of mu opioid receptors inhibits C235 transient high- and low-threshold Ca2+ currents, but spares a sustained current. Neuron. 1991 Jan;6(1):13-20.

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in		
conformance and not considered. Include copy of this form with next communication to applicant.		

Complete if Known **Application Number** 10/781,142 INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST First Named Inventor **Kyrkanides** (Use as many sheets as necessary) 1632 Group Art Unit Hama, Joanne **Examiner Name** Schuller AG, King MA, Zhang J, Bolan E, Pan YX, Morgan DJ, Chang A, Czick ME, Unterwald EM, C236 Pasternak GW, Pintar JE. Retention of heroin and morphine-6 beta-glucuronide analgesia in a new line of mice lacking exon 1 of MOR-1. Nat Neurosci. 1999 Feb;2(2):151-6. Schwarz EM, Looney RJ, O'Keefe RJ (2000). Anti-TNF-alpha therapy as a clinical intervention for C237 periprosthetic osteolysis. Arthritis Res 2:165-8. Sciacca, F.L., C. Ferri, K. Vandenbroeck, F. Veglia, C. Gobbi, F. Martinelli, D. Franciotta, M. C238 Zaffaroni, M. Marrosu, G. Martino, V. Martinelli, G. Comi, N. Canal and L.M. Grimaldi. Relevance of interleukin 1 receptor antagonist intron 2 polymorphism in Italian MS patients. Neurology (1999) 52:1896-1898. Sessle BJ. Hu JW. sms of pain arising from articular tissues. Can J Physiol Pharmacol. 1991 C239 May;69(5):617-26. Shaftel et al. (2003) COX-3: a splice variant of cyclooxygenase-1 in mouse neural tissue and C240 cells. Brain Res Mol Brain Res. 119:213-215. Sheng, J.G., R.E. Mrak and W.S. Griffin. Glial-neuronal interactions in Alzheimer disease: C241 progressive association of IL-1alpha+ microglia and S100beta+ astrocytes with neurofibrillary tangle stages. J. Neuropathol. Exp. Neurol. (1997) 56:285-290. Sheng, J.G., S.G. Zhu, R.A. Jones, W.S. Griffin and R.E. Mrak. Interleukin-1 promotes expression C242 and phosphorylation of neurofilament and tau proteins in vivo. Exp. Neurol. (2000) 163:388-391. Shin S-i, Fermor B, Weinberg JB, Pisetsky DS, Guilak F (2003). Regulation of matrix turnover in C243 meniscal explants: role of mechanical stress, interleukin-1, and nitric oxide. J Appl Physiol.; 95:308-13. Sigueira-Junior JM, Peters RR, Brum-Fernandes AJ, Ribeiro-do-Valle RM (2003). Effects of valeryl C244 salicylate, a COX-1 inhibitor, on models of acute inflammation in mice. Pharmacol Res 48:437-43. Smith MD. Triantafillou S. Parker A, Youssef PP, Coleman M (1997). Synovial membrane C245 inflammation and cytokine production in patients with early osteoarthritis. J Rheumatol 24:365-71. Smith, WL, DeWitt DL, Garavito RM (2000). Cyclooxygenases: structural, cellular, and molecular C246 biology. Annu Rev Biochem 69:145-82. Srinivas S, Watanabe T, Lin C-S, Williams C, Tanabe Y, Jessell T, Costaniti F (2002). Cre reporter C247 strains produced by targeted insertion of EYFP and ECFP into the ROSA26 locus. BMC Develop Biol 1:4-11. Stalder, A.K., Carson, M.J., Pagenstecher, A., Asensio, V.C., Kincaid, C., Benedict, M., Powell, C248 H.C., Masliah, E., Campbell, I.L. Late-onset chronic inflammatory encephalopathy in immunecompetent and severe combined immune-deficient (SCID) mice with astrocyte-targeted expression of tumor necrosis factor. Am J Pathol, 1998 153(3):767-83. Stegenga B, de Bont LG, Boering G (1989). Osteoarthrosis as the cause of craniomandibular pain C249 and dysfunction: a unifying concept. J Oral Maxillofacial Surg 47:249-56. Stegenga B, de Bont LG, Boering G, Van Willigen JD (1991). Tissue responses to degenerative C250 changes in the temporomandibular joint: a review. J Oral Maxillofacial Surg 49:1079-88. Stein C, Hassan AH, Przewlocki R, Gramsch C, Peter K, Herz A. Opioids from immunocytes C251 interact with receptors on sensory nerves to inhibit nociception in inflammation. Proc Natl Acad Sci USA. 1990 Aug;87(15):5935-9. Stein C, Schafer M, Machelska H. Attacking pain at its source: new perspectives on opioids. Nat C252 Med. 2003 Aug;9(8):1003-8. Sternberg N, Hamilton D (1981). Bacteriophage P1 site-specific recombination. Recombination C253 between loxP sites. J Mol Biol 150:467-86.

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether o	r not citation is in conformance with MPEP 609. Draw line through citation if not in	
conformance and not considered. Include copy of this form with next communication to applicant.		

		Comple	ete if Known
INFORM	ATION DISCLOSURE	Application Number	10/781,142
STATEMENT LIST		Filing Date	February 18, 2004
		First Named Inventor	Kyrkanides
(Use as	s many sheets as necessary)	Group Art Unit	1632
		Examiner Name	Hama, Joanne
C254	Stichtenoth DO, Thoren S, Bian H,	Peters-Golden M, Jakobsson F	PJ and Crofford L (2001).
	Microsomal prostaglandin E syntha	se is regulated by proinflamma	
	rheumatoid synovial cells. J. Immur	nol. (2001) 167:469-74.	
C255	Stohler CS (1999). Craniofacial pain and motor function: pathogenesis, clinical correlates, and implications. Crit Rev Oral Biol Med 10:504-18.		
C256	Stohler CS, Ashton-Miller JA, Carls	on DS. The effects of pain from	n the mandibular joint and
C250	muscles on masticatory motor beha	viour in man. Arch Oral Biol. 1	988;33(3):175-82.
C257	Stohler CS, Yamada Y, Ash MM (19	985). Antagonistic muscle stiffr	ness and associated reflex
	behavior in the pain-dysfunction sta	te. Helv Odontol Acta Vol. 29:	13-20.
C258	Sugimoto Y, Narumiya S and Ichika		function of prostanoid receptors:
0250	studies from knockout mice. Prog L Surnii H, Inoue H, Onoue J, Mori A,	Oda T. Tsubokura T (1996). S	Superoxide dismutase activity in
C259	arthropathy: its role and measurement	ent in the joints. Hiroshima J M	led Sci 45:51-55.
C260	Suzuki T, Segami N, Nisimura M, N	ojima T (2002). Co-expression	n of interleukin-1beta and tumor
:	necrosis factor alpha in synovial tiss	sues and synovial fluids of tem	poromandibular joint with
	internal derangement: comparison	with histological grading of syn	ovial inflammation. J of Oral
C261	Pathology Med 31:549-57. Takeda et al. Leptin regulates bone	e formation via the sympathetic	nervous system. Cell . 2002
0201	Nov 1;111(3):305-317		
C262	Tallents RH, Macher DJ, Rivoli P, S	capino R, Puzas JE, Katzberg	RW (1990). An animal model
	for disk displacement. J Craniomar		
C263	Tambeli CH, et al., J Dent Res 199		
C264	Tanaka A, Hase S, Miyazawa T, Ohno R, Takeuchi K (2002). Role of cyclooxygenase (COX)-1 and COX-2 inhibition in nonsteroidal anti-inflammatory drug-induced intestinal damage in rats:		
	relation to various pathogenic even		
C265	Taniike M, et al. Neuropathology of mice with targeted disruption of Hexa gene, model of Tay-		
	Sachs disease. Acta Neuropathol (Berl.) 89(4):296-304 (1995)	
C266	Tanioka T, Nakatani Y, Semmyo N,	Murakami M and Kudo I (2006	0). Molecular identification of its immediate.
	cytosolic prostaglandin E2 synthase prostaglandin E2 biosynthesis. J Bi		illi Cylooxygeriase-1 iii iiiiinediate
C267	Tanzi, R.E. Alzheimer's disease risl		Ann Neurol (2000) 47:283-285.
C268	Tawara T, Shingu M, Nobunaga M,		
C200	production of prostaglandin E2, leul	kotriene B4, NAG, and superox	xide by human synovial cells and
	chondrocytes. Inflammation 15:145	-57.	
C269	Tehranian, R., S. Andell-Jonsson, S.	S.M. Beni, I. Yatsiv, E. Shoham	ni, T.B. Bartfai, J. KLundkvist and
	K. Iverfeldt. Improved recovery and central overexpression of the secre	delayed cytokine induction alt	recentor antagonist .l
	Neurotrauma (2002) 19:939-951.	ted isolomi of the interiodicity	Todopioi amagemente.
C270	Thilander B. Innervation of the Ten	nporo-mandibular Disc in Man.	Acta Odontol Scand. 1964
	Feb;22:151-6.	(4000) D. 1. 11. 51. 1	
C271	Tiku ML, Liesch JB, Robertson FM	(1990). Production of hydroger	n peroxide by rabbit articular
C272	chondrocytes. Enhancement by cyt Tilley SL, Coffman TM and Koller B	H (2001), Mixed messages: m	odulation of inflammation and
02/2	immune response by prostaglandin	s and thromboxanes. J Clin Inv	vest 108:15-23
	immune response by prostaglandin	s and thromboxanes. J Clin Inv	vest 108:15-23

Examiner Signature:	Date Considered:		
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609.	Draw line through citation if not in	
conformance and not considered. Include copy of this form with next communication to applicant.			

		Compl	ete if Known
INFORM	ATION DISCLOSURE	Application Number	10/781,142
1	ATEMENT LIST	Filing Date	February 18, 2004
		First Named Inventor	Kyrkanides
(Use a	s many sheets as necessary)	Group Art Unit	1632
		Examiner Name	Hama, Joanne
C273	Tiscornia, G., Singer, O., Ikawa, M. knockdown in mice by using lentivir U S A 100, 1844-1848.	, and Verma, I. M. (2003). A ge al vectors expressing small int	eneral method for gene erfering RNA. Proc Natl Acad Sci
C274	Triggs-Raine et al. (1994) Charact Biochim Biophys Acta. 1227 (1-2):	79-86.	
C275	Tuschl, T. RNA interference and sm	nall interfering RNAs. Chembio	chem (2001) 2:239-245.
C276	Ueno et al. (1985) The effects of pand radial growth and increased me	etaphyseal hard tissue mass. I	Bone 6:79-86.
C277	Vane JR, Bakhle YS, Botting RM(19 Toxicol. 38:97-120.		
C278	Vignon et al. (1990) Histaminergic receptors in human osteoarthritic ca	artilage. Biochem Int. 20(2):25	51-255.
C279	oxidants in permeabilized vascular smooth muscle. Eur J Pharmacol 320:51-59.		col 320:51-59.
C280	Wall RJ. (1996) Transgenic Livest 45:57-68.		
C281	Wang JB, Imai Y, Eppler CM, Gregor P, Spivak CE, Uhl GR. mu opiate receptor: cDNA cloning and expression. Proc Natl Acad Sci U S A. 1993 Nov 1;90(21):10230-4.		
C282	Wang JB, Johnson PS, Imai Y, Persico AM, Ozenberger BA, Eppler CM, Uhl GR. cDNA cloning of an orphan opiate receptor gene family member and its splice variant. FEBS Lett. 1994 Jul 4;348(1):75-9.		
C283	Webb GR, Westacott CI, Elson CJ. (1998) Osteoarthritic synovial fluid and synovium supernatants up-regulate tumor necrosis factor receptors on human articular chondrocytes. Osteoarthr & Cartil 6:167-76.		
C284	Werz MA, MacDonald RL. Opioid p calcium-dependent action potential 1983 Dec 2;42(2):173-8.	eptides selective for mu- and o duration by increasing potassi	delta-opiate receptors reduce um conductance. Neurosci Lett.
C285	Wilhelmi G, Faust R (1976). Suitabi study of skeletal changes due to ag to tribenoside. Pharmacol 14:289–9	eing, with special reference to 96.	osteo-arthrosis and its response
C286	Wingren AG, Bjorkdahl O, Labuda Kalland T, Widegren B, Dohlsten M gene directs the protein from cytopl 169:226-37.	(1996). Fusion of a signal seq asmic accumulation to extrace	uence to the interleukin-1 beta Illular release. Cell Immunol
C287	Wink CS, St Onge M, Zimny ML. No J Oral Maxillofac Surg. 1992 Apr;50)(4):334-7.	
C288	Wolff et al. Direct gene transfer into 1):1465-1468.		
C289	Wood et al. (1989) A rare Taql RF Nucleic Acid Research. 17:2368.		
C290	Woodruff T, Blake DR, Freeman J, example of reperfusion injury? Ann	Rheum Dis 45:608-11.	
C291	Wu CL, Garry MG, Zollo RA, Yang targets. Anesthesiology. 2001 Jul;9		gement of pain: part II: molecular

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or	not citation is in conformance with MPEP 609.	Draw line through citation if not in
conformance and not considered. Include copy of this form with next communication to applicant.		

Complete if Known 10/781,142 **Application Number** INFORMATION DISCLOSURE February 18, 2004 Filing Date STATEMENT LIST First Named Inventor **Kyrkanides** (Use as many sheets as necessary) 1632 Group Art Unit Hama, Joanne **Examiner Name** Xie GX, Meuser T, Pietruck C, Sharma M, Palmer PP. Presence of opioid receptor-like (ORL1) C292 receptor mRNA splice variants in peripheral sensory and sympathetic neuronal ganglia. Life Sci. 1999;64(22):2029-37. Xu et al. (2000) Enhanced expression of mu-opioid receptors in sensory neurons using adeno-C293 associated viral vectors. Society for Neuroscience Abstracts, 26(1-2):1662, Abstract 608.7 Xu et al. (2001) Adeno-associated virus mediated gene expression in dorsal root ganglia C294 following remote vector delivery. Society for Neuroscience Abstracts 27(2):1607. Xu et al. (2003) Adeno-associated viral transfer of opiod receptor gene to primary sensory C295 neurons: a strategy to increase opioid antinociception. Proc. Natl. Acad. Sci. 100(10):6204-6209. Xu et al. (2003) Efficiencies of transgene expression in nociceptive neurons through different C296 routes of delivery of adeno-associated viral vectors. Human Gene Therapy. 14(9):897-906. Yaksh TL, Dirig DM, Conway CM, Svensson C, Luo ZD, Isakson PC (2001). The acute C297 antihyperalgesic action of nonsteroidal, anti-inflammatory drugs and release of spinal prostaglandin E2 is mediated by the inhibition of constitutive spinal cyclooxygenase-2 (COX-2) but not COX-1. J Neurosci 21:5847-53. Yaksh TL, Jessell TM, Gamse R, Mudge AW, Leeman SE. Intrathecal morphine inhibits substance C298 P release from mammalian spinal cord in vivo. Nature. 1980 Jul 10;286(5769):155-7. Yaksh TL. Substance P release from knee joint afferent terminals: modulation by opioids. Brain C299 Res. 1988 Aug 23;458(2):319-24. Yamamoto Y, Yin MJ, Lin KM and Gaynor RB (1999). Sulindac inhibits activation of the NF-□B C300 pathway. J Biol Chem. 274:27307-314. Yamasaki, Y., N. Matsuura, H. Shozuhara, H. Onodera, Y. Itoyama and K. Kogure. Interleukin-1 as C301 a pathogenetic mediator of ischemic brain damage in rats. Stroke (1995) 26:676-681. Yang, D., F. Buchholz, Z. Huang, A. Goga, C.-Y. Chen, F.M. Brodskyand J.M. Bishop. Short RNA C302 duplexes produced by hydrolysis with Escherichia coli RNase III mediate effective RNA interference in mammalian cells. Proceedings of the National Academy of Sciences (2002) 99:9942-994. Yang, Y., W.W. Quitschke and G.J. Brewer. Upregulation of amyloid precursor protein gene C303 promoter in rat primary hippocampal neurons by phorbol ester, IL-1, and retinoic acid, but not by reactive oxygen species. Mol. Brain Res. (1998) 60:40-49. Yermakova, A.V., J. Rollins, L.M. Callahan, J. Rogers and M.K. O'Banion. Cyclooxygenase-1 in C304 human Alzheimer's and control brain: quantitative analysis of expression by microglia and CA3 hippocampal neurons. J. Neuropathol. Exp. Neurol. (1999) 58:1135-1146. Yin MJ, Yamamoto Y and Gaynor RB (1998). The anti-inflammatory agents aspirin and salicylate C305 inhibit the activity of IkB kinase-ß. Nature 396:77-80. Yoshida H, Fukumura Y, Fujita S, Nishida M, Iizuka T (2002). The expression of cyclooxygenase-2 C306 in human temporomandibular joint samples: an immunohistochemical study. J Oral Rehab Yoshino K, Kawagishi S, Amano N. Morphological characteristics of primary sensory and post-C307 synaptic sympathetic neurones supplying the temporomandibular joint in the cat. Arch Oral Biol. 1998 Sep;43(9):679-86. Zhang J, S Goorha, R Raghowand, LR Ballou (2002). The tissue-specific, compensatory C308 expression of cyclooxygenase-1 and -2 in transgenic mice. Prostagland Other Lipid Mediat 67:121-35. Zheng et al. Treatment of the mouse model of mucopolysaccharidosis I with retrovirally C309 transduced bone marrow. Mol Genet Metab. 2003 Aug 79(4):233-244.

Examiner Signature:	Date Considered:	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in		
conformance and not considered. Include copy of this form with next communication to applicant.		

Attorney Docket No: 21108.0040U1 Application No. 10/781,142 Page 18 of 18

Complete if Known 10/781,142 **Application Number** INFORMATION DISCLOSURE Filing Date February 18, 2004 STATEMENT LIST **Kyrkanides** First Named Inventor (Use as many sheets as necessary) 1632 Group Art Unit **Examiner Name** Hama, Joanne Zhu J, Musco ML, Grace MJ (1999). Three-color flow cytometry analysis of tricistronic expression C310 of eBFP, eGFP, and eYFP using EMCV-IRES linkages. Cytometry 37:51-9. Zhu X, Conklin D, Eisenach JC (2003). Cyclooxygenase-1 in the spinal cord plays an important C311 role in postoperative pain. Pain 104:15-23.

Examiner Signature:

Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.